

# **SAFETY DATA SHEET**

Date Issued: 04-27-2015 Supersedes: N/A

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: 67 Carpet Spotter (Ready-to-Use)

Product Number: SEB670032-B

Brand: Sustainable Earth by Staples®

Recommended use: Carpet cleaner

Uses advised against: Uses other than those identified on the product label are not recommended.

**Supplier Name:** Staples Contract & Commercial, Inc.

**Supplier Address:** 500 Staples Drive

Framingham MA 01702 USA

Supplier Phone Number: 1-888-322-0912 SDS Internet Address: 1-888-322-0912 http://sds.staples.com

Emergency telephone number: 1-888-322-0912

#### 2. HAZARDS IDENTIFICATION

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### **Classification for the Undiluted Product**

Acute toxicity - Inhalation (vapors)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

# GHS Label elements, including precautionary statements

**Emergency Overview:** 





Signal word: Danger

Hazard Statements: Harmful if inhaled. Causes severe skin burns and eye damage.

Precautionary Statements - Prevention: Avoid breathing mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash

face, hands and any exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing immediately. Call a poison center or doctor/physician.

**IF ON SKIN:** Wash with plenty of soap and water. If skin irritation occurs, get medical

advice/attention. Take off contaminated clothing and wash before reuse.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center or doctor/physician if you feel unwell.

**Precautionary Statements – Storage:** Store locked up.

Precautionary Statements – Disposal: Dispose of unused product according to all federal, state/province and local applicable

regulation.

Hazards not otherwise classified (HNOC): Not applicable

Other information: Harmful to aquatic life with long lasting effects.

Interactions with Other Chemicals: No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrogen peroxide	7722-84-1	1 - 5
Dipropylene glycol butyl ether	29911-28-2	1 - 5
Ethoxylated surfactants	Trade secret	1 - 5
Sodium hydroxide	1310-73-2	0.1 - 1

Balance is water and similar non-hazardous ingredients. Contains fragrance.

# 4. FIRST AID MEASURES

First aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide

open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub

affected area. Seek immediate medical attention/advice.

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if

irritation develops and persists.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Call a physician.

Self-protection of the

first aider required: Avoid contact with skin, eyes or clothing. Use personal protective equipment as

Most Important Symptoms and Effects: Burning sensation. Coughing and/or wheezing. Difficulty in breathing.

Notes to Physician: Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical, CO2 or water spray. Dry chemical, CO2, alcohol-resistant foam or

water spray. Move containers from fire area if you can do it without risk. Dike fire

control water for later disposal; do not scatter the material.

**Unsuitable extinguishing media:** CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical: When heated, vapors may form explosive mixtures with air: indoors, outdoors and

sewers explosion hazards. Runoff may pollute waterways. Substance may be

transported in a molten form.

Uniform Fire Code: Irritant: Liquid

Hazardous Combustion Products: Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact: No. Sensitivity to Static Discharge: No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with eyes.

**Environmental Precautions:** Refer to protective measures listed in Sections 7 and 8. **Methods for Containment:** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up:**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

**Incompatible Products:** Strong acids. Strong oxidizing agents. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name / CAS	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m <sup>3</sup>	IDLH: 75 ppm TWA: 1 ppm
			TWA: 1.4 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Engineering Measures:** General ventilation normally adequate.

**Eye / Face Protection:** Tight sealing safety goggles.

**Skin and Body Protection:** Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

**Respiratory Protection:** No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product.

•

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** 

Appearance: Liquid

Color: Colorless **Odor Threshold:** No information available

**Property Values** 6.0 - 7.0pH (as is)

Melting / freezing point No data available Boiling point /boiling range No data available Flash Point No data available **Evaporation Rate** No data available **Flammability** No data available Lower flammability limit No data available Vapor density No data available

**Specific Gravity** 1.008

**Water Solubility** Soluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition temperature** No data available **Decomposition temperature** No data available No data available Kinematic viscosity Dynamic viscosity No data available **Explosive properties** No data available

**Other Information** 

Softening Point No data available **VOC Content (by wt)** <0.1 (<1.0 g/L) **Particle Size** No data available **Particle Size Distribution** No data available

This product is compliant with California Air Resources Board (CARB) regulations on Volatile Organic Compounds (VOC).

## 10. STABILITY AND REACTIVITY

Reactivity No data available.

**Chemical Stability** Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing. **Hazardous Polymerization** Hazardous polymerization does not occur. **Conditions to Avoid** None known based on information supplied. Acids. Bases. Oxidizing agent.

**Incompatible Materials** 

**Hazardous Decomposition Products** Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Harmful by inhalation. (based on components).

**Eye Contact** Specific test data for the substance or mixture is not available. Expected to be an irritant based on

components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause

irreversible damage to eyes.

**Skin Contact** Specific test data for the substance or mixture is not available. Expected to be an irritant based

on components. Irritating to skin. Prolonged contact may cause redness and irritation.

Specific test data for the substance or mixture is not available. Ingestion may cause irritation to Ingestion

mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name / CAS	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen peroxide 7722-84-1	= 801 mg/kg ( Rat )	= 4060 mg/kg(Rat) = 2000 mg/kg(Rabbit)	= 2 g/m³(Rat)4 h
Dipropylene glycol butyl ether 29911-28-2	-	-	> 2.04 mg/L (Rat) 4 h = 42.1 ppm (Rat) 4 h

#### Information on toxicological effects

**Symptoms** Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness.

Burning. Coughing and/ or wheezing.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity

Chemical Name / CAS	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide 7722-84-1	A3	Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists): A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer): Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Chronic Toxicity
No information available.
No information available.
No known effect.

Target Organ Effects Respiratory system. Eyes. Skin. Blood. Lungs.

**Aspiration Hazard** No information available.

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 12,815.00 mg/kg
ATEmix (dermal): 65,651.00 mg/kg (ATE)

ATEmix (inhalation-dust/mist): 66.000 mg/l ATEmix (inhalation-vapor): 16.00 ATEmix

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	,	•	Daphnia Magna (Water Flea)
Hydrogen Peroxide 7722-84-1	72h EC50: = 2.5 mg/L (Chlorella vulgaris)	96h LC50: 10.0 - 32.0 mg/L (Oncorhynchus mykiss) 96h LC50: 18 - 56 mg/L (Lepomis macrochirus) 96h LC50: = 16.4 mg/L (Pimephales promelas)		48h EC50: 18 - 32 mg/L 24h EC50: = 7.7 mg/L
Dipropylene glycol butyl ether 29911-28-2		96h LC50: = 841 mg/L (Poecilia reticulata)		

Persistence and Degradability: No information available.

Bioaccumulation:

Other adverse effects:

No information available.

No information available.

# 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR

261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for

additional requirements.

**Contaminated Packaging**Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Hydrogen peroxide 7722-84-1	Toxic / Corrosive / Ignitable / Reactive

## 14. TRANSPORT INFORMATION

24-HR EMERGENCY PHONE: 1-888-322-0912

**DOT/ TDG/ MEX/ ICAO/ IATA/ IMDG/IMO:** Not Regulated

# 15. REGULATORY INFORMATION

# International Inventories

TSCA (US) Complies

**DSL (Canada)** All components are listed either on the DSL or NDSL.

## US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Hydrogen peroxide 7722-84-1	X	X	X	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name / CAS	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen peroxide 7722-84-1		1000 lb	

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Hydrogen peroxide 7722-84-1	Х	X	Х	Х	
Sodium hydroxide 1310-73-2	Х	X	Х	Х	

#### International Regulations

Canada

# **16. OTHER INFORMATION**

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical & chemical Hazards – Personal protection X

HMIS Health Hazards 2 Flammability 0 Physical Hazard 0

Prepared By: Regulatory Specialist, Staples Brand Group, (508) 253-5000

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Staples at 1-888-322-0912 or visit our website at <a href="https://www.staplesadvantage.com">www.staplesadvantage.com</a>. Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

All information contained in this SDS is provided to the best of Staples Contract & Commercial Inc's knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.