

Safety Data Sheet: PREMALUBE

Supersedes Date 10/25/2013

Issuing Date 04/18/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PREMALUBE
Recommended use Lubricant
Information on Manufacturer
CERTIFIED LABS, DIV. OF NCH CORP.
BOX 152170
IRVING, TEXAS 75015

Product Code 305J
Chemical nature Petroleum oil blend
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
972-579-2477

2. HAZARD IDENTIFICATION

Color Black

Physical State Grease

Odor Oily

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Category 2B

Other hazards

None

Labeling

Signal Word

WARNING

Hazard Statements

H315 - Causes skin irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists, get medical attention.

15 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	64742-52-5	60-100
Calcium carbonate	1317-65-3	7-13
Aluminum benzoate fatty acid complex	82980-54-9	5-10
Tricalcium phosphate	1306-06-5	1-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5	1-5
Molybdenum disulfide	1317-33-5	1-5

4. FIRST AID MEASURES

General advice

Avoid contact with skin, eyes and clothing.

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Skin Contact

Wipe up with absorbent material (e.g. cloth, fleece). Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Inhalation

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur.
Rinse mouth.

Notes to physician

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flash Point

450 °F / 232 °C

Method

Open cup

Flammability Limits in Air % No information available. Upper No data available Lower No data available
 Suitable Extinguishing Media

Water spray. Foam. Carbon dioxide (CO2). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure -demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health 1	Flammability 1	Instability 0
HMIS	Health 1	Flammability 1	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non -combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.
Storage	Store in original container. Keep containers tightly closed in a dry, cool and well -ventilated place.
Storage Temperature	Minimum 10 °F / -12 °C Maximum 150 °F / 66 °C
Storage Conditions	Indoor X Outdoor X Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m ³ , STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Calcium carbonate	No data available	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Tricalcium phosphate	No data available	No data available	No data available
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Molybdenum disulfide	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 15 mg/m ³	No data available

Engineering Measures	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/Face Protection	Safety glasses with side-shields.
Skin Protection	For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re -use. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Grease	Viscosity	Semi-Solid
Color	Black	Odor	Oily
Odor Threshold	Not applicable	Appearance	Textured black paste
pH	Not applicable	Specific Gravity	0.93
Evaporation Rate	0 (BuAc = 1)	Percent Volatile (Volume)	0
VOC Content (%)	0	VOC Content (g/L)	0
Vapor Pressure	<0.01 mmHg @ 70°F	Vapor Density	11.3 (Air = 1.0)
Solubility	Negligible	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	475 °F / 246 °C	Flammability (solid, gas)	No data available
Flash Point	450 °F / 232 °C	Method	Open cup
Autoignition Temperature	No information available.		
Flammability Limits in Air %	No information available.	Upper	No data available Lower
			No data available

10. STABILITY AND REACTIVITY

<p>Chemical Stability Conditions to Avoid</p> <p>Incompatible Products</p> <p>Hazardous Decomposition Products</p> <p>Possibility of Hazardous Reactions</p>	<p>Stable. Hazardous polymerization does not occur.</p> <p>Extremes of temperature and direct sunlight, Keep away from open flames, hot surfaces, and sources of ignition.</p> <p>Strong oxidizing agents, Acids.</p> <p>Carbon oxides, Sulfur oxides, Oxides of phosphorus.</p> <p>None under normal processing</p>
--	--

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50	500.00
Dermal LD50	2,002.00
Inhalation LC50	
Gas	No information available
Mist	108.00
Vapor	No information available

Principle Route of Exposure	Eye contact, Skin contact.
Primary Routes of Entry	Eye contact
Acute Effects	
Eyes	May cause eye irritation.
Skin	May cause skin irritation.
Inhalation	Low hazard for usual industrial or commercial handling.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic Toxicity	Prolonged skin contact may defat the skin and produce dermatitis. Kidney injury may occur.
Target Organ Effects	Respiratory system, Kidney, Eyes, Blood, Bone.
Aggravated Medical Conditions	Respiratory disorders, Skin disorders, Kidney disorders, Blood disorders.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
Calcium carbonate	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	> 2820 mg/m ³ (Rat) 4 h	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	no data available
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	no data available	no data available	respiratory system, kidneys, eyes, blood, bones, joints

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Calcium carbonate	not applicable	not applicable	not applicable	not applicable	not applicable
Aluminum benzoate fatty acid complex	not applicable	not applicable	not applicable	not applicable	not applicable
Tricalcium phosphate	not applicable	not applicable	not applicable	not applicable	not applicable

Styrene-Ethylene/Propylene Block Copolymer	not applicable	not applicable	not applicable	not applicable	not applicable
Molybdenum disulfide	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	1000: 48 h Daphnia magna mg/L EC50	N/A
Calcium carbonate	no data available	no data available	no data available	no data available	N/A
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A
Tricalcium phosphate	no data available	no data available	no data available	no data available	N/A
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	N/A
Molybdenum disulfide	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies

DSL Does not Comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	Not applicable	Not applicable
Calcium carbonate	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable
Tricalcium phosphate	Not applicable	Not applicable
Styrene-Ethylene/Propylene Block Copolymer	Not applicable	Not applicable
Molybdenum disulfide	Not applicable	Not applicable

16. OTHER INFORMATION

Prepared By	Adrienne McKee
Supersedes Date	10/25/2013
Issuing Date	04/18/2014
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.