

SAFETY DATA SHEET

Date Issued: 04-27-2015

Supersedes: N/A

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name 64 Neutral Multi-Use Cleaner

Product Number SEB640001-C, SEB6402QM-C, SEB6404HM-C, SEB640055-C, SEB640275-C

Brand Sustainable Earth by Staples®

Recommended Use General purpose cleaner

Uses advised against

Uses other than those identified on the product label are not recommended.

Supplier Name Staples Contract & Commercial, Inc.

Supplier Address 500 Staples Drive

Framingham MA 01702 USA

Supplier Phone Number 1-888-322-0912 SDS Internet Address: http://sds.staples.com

Emergency telephone number 1-888-322-0912

2. HAZARDS IDENTIFICATION

Classification for the Undiluted Product

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

GHS Label elements, including precautionary statements

Emergency Overview:



IF IN EYES:

IF ON SKIN:

Signal Word: Warning

Hazard Statements: Causes skin irritation. Causes serious eye irritation.

Precautionary Statements - Prevention: Wash face, hands and any exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection. Wear eye/face protection. Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Wash with plenty of soap and water. If skin irritation occurs, get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Hazards not otherwise classified (HNOC): Not applicable

<u>Other information:</u>
<u>Interactions with Other Chemicals:</u>
Toxic to aquatic life
No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethoxylated surfactants	Trade secret	15 - 20
Hydrogen peroxide	7722-84-1	0.1 -1
Sodium hydroxide	1310-73-2	0.1 - 1

Balance is water and similar non-hazardous ingredients. Contains fragrance.

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye

wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get

medical attention if irritation develops and persists. Do not rub affected area.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if

irritation develops and persists.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear

personal protective clothing (see section 8).

Most Important Symptoms and Effects: Burning sensation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media: CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical: No information available.

Uniform Fire Code: Irritant: Liquid

Hazardous Combustion Products: Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact: No. Sensitivity to Static Discharge: No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective

equipment as required.

Environmental PrecautionsRefer to protective measures listed in Sections 7 and 8. **Methods for Containment**Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name / CAS	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen peroxide 7722-84-1 TWA: 1 ppm		TWA: 1 ppm IDLH: 75 ppm TWA: 1.4 mg/m³ TWA: 1 ppm	
			TWA: 1.4 mg/m ³

ACGIHTLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded

or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eves or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when

using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Appearance Liquid Odor Citrus

Color Yellow Odor Threshold No information available

 Property
 Values

 pH (Conc.)
 5.5 - 7.5

 pH (Diluted 1:256)
 7 - 8

Melting / freezing point No data available Boiling point /boiling range No data available Flash Point No data available **Evaporation Rate** No data available **Flammability** No data available Lower flammability limit No data available Vapor density No data available **Specific Gravity** No data available

64 Neutral Multi-Use Cleaner SEB6400.04-27-2015

Water Solubility Soluble in water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No data available **Softening Point** No data available VOC Content (weight) <0.1% (<1.0 g/L) **Particle Size** No data available **Particle Size Distribution** No data available

This product is compliant with California Air Resources Board (CARB) regulations on Volatile Organic Compounds (VOC).

10. STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization:Hazardous polymerization does not occur.Conditions to avoid:None known based on information supplied.Incompatible materials:None known based on information supplied.

Hazardous Decomposition Products: Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory

tract.

Eye Contact Specific test data for the substance or mixture is not available. Expected to be an irritant based on

components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.

Skin Contact Specific test data for the substance or mixture is not available. Expected to be an irritant based on

components. Irritating to skin. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause irritation to

mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen peroxide 7722-84-1	= 801 mg/kg (Rat)	= 4060 mg/kg (Rat) = 2000 mg/kg (Rabbit)	= 2 g/m³ (Rat) 4 h
Ethoxylated surfactants	> 5000 mg/kg(Rat) > 8300 mg/kg(Rat)	> 1600 mg/kg (Rat)	= 0.237 mg/L(Rat)4 h

Information on toxicological effects

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity:

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide 7722-84-1	A3	Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity

No known effect based on information supplied.

Target Organ Effects

Respiratory system. Eyes. Skin. Blood. Lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 5,031.00 mg/kg

ATEmix (inhalation-dust/mist): 185.00 mg/l ATEmix (inhalation-vapor): 1,017.00 ATEmix

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT

Ecotoxicity: Toxic to aquatic organisms.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Hydrogen peroxide 7722-84-1	72h EC50: = 2.5 mg/L (Chlorella vulgaris)	96h LC50: 10.0 - 32.0 mg/L (Oncorhynchus mykiss) 96h LC50: 18 - 56 mg/L (Lepomis macrochirus) 96h LC50: = 16.4 mg/L (Pimephales promelas)		48h EC50: 18 - 32 mg/L 24h EC50: = 7.7 mg/L
Ethoxylated surfactants		96h LC50: = 1.04 mg/L (Pimephales promelas)		

Persistence and Degradability:
Bioaccumulation:
Other adverse effects:
No information available.
No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste		
Hydrogen peroxide 7722-84-1	Toxic / Corrosive / Ignitable / Reactive		

14. TRANSPORT INFORMATION

24-HR EMERGENCY PHONE: 1-888-322-0912

DOT/ TDG/ MEX/ ICAO/ IATA/ IMDG/IMO: Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA (US) Complies

DSL (Canada) All components are listed either on the DSL or NDSL.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen peroxide 7722-84-1	X	X	Х	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name / CAS	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen peroxide 7722-84-1		1000 lb	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name / CAS	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Hydrogen peroxide 7722-84-1	X	X	X	X	

International Regulations

Canada

16. OTHER INFORMATION

Flammability 0 Physical & chemical Hazards -**NFPA Health Hazards 2** Instability 0

HMIS Health Hazards 2 Flammability 0 Physical Hazard 0 Personal protection X

Prepared By: Regulatory Specialist, Staples Brand Group, (508) 253-5000

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Staples at 1-888-322-0912 or visit our website at www.staplesadvantage.com. Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

All information contained in this SDS is provided to the best of Staples Contract & Commercial Inc's knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.